

Biota of Devils Lake and Greater Devils Lake Region Lincoln County, Oregon

Kingdom Monera

Phylum Cyanophyta

Class Cyanophyceae e.g. photosynthetic bacteria blue-green algae

Kingdom Protista

Phylum Chlorophyta

Class Chlorophyceae

Order Volvocales e.g. Chlamydomonadales sp.

Order Chlorococcales e.g. Scenedesmus sp.

Order Ulotrichales e.g. Enteromorpha sp.

Order Cladophorales e.g. Cladophora sp. (blanketweed)

Order Chaetophorales e.g. Stigeoclonium sp.

Order Oedogoniales e.g. Oedogonium sp.

Order Zygnematales (Conjugales) e.g. Spirogyra sp., desmids

Order Vaucheriales e.g. Vaucheria sp.

Phylum Chrysophyta

Class Chrysophyceae (diatoms) e.g. *Dinobryon divergens*

Phylum Ochrophyta

Class Coscinodiscophyceae e.g. *Melosira granulata*

Kingdom Fungi

Phylum Eumycota

Class Oomycota e.g. Saprolegniales sp.

Phylum Ascomycota e.g. Geotrichum sp.

Kingdom Animalia

Phylum Protozoa

Unranked Taxon Amoebozoa e.g. Amoeba sp.

Class Flageilata

Subclass Phytomastigina (no longer a valid taxon; has been reconfigured)

Subclass Zoomastigina (no longer a valid taxon; has been reconfigured)

Phylum Ciliophora

Class Oligohymenophorea e.g. Paramecium sp.

Class Phyllopharyngea

Subclass Suctoria e.g. Podophyra sp.

Phylum Platyhelminthes (flatworm)

Class Turbellaria e.g. Planaria sp.

Class Trematoda e.g. *Nanophyetus salmincola* (formerly *Trogloremia salminicola* aka Salmon Poison fluke)

Class Cestoda e.g. *Proteocephalus ambloplites* (bass tapeworm)

Phylum Nematoda (roundworm)

Phylum Rotifera (rotifers)

Class: Monogononta e.g. Asplanchna sp., Keratella sp.

Phylum Annelida (segmented worm.)

Class Polychaeta

Class Oligochaeta

Order Limicolleae e.g. Tubifex sp.

Biota of Devils Lake and Greater Devils Lake Region Lincoln County, Oregon

Class Hirudinea (leeches)

Phylum Arthropoda

Subphylum Crustacea

Class Branchiopoda

Order Cladocera e.g. Daphnia sp.

Class Ostracoda e.g. Cypris sp.

Class Maxillopoda e.g. Cyclops sp., Diaptomus sp.

Class Malacostraca

Order Isopoda

Order Amphipoda e.g. Gammarus sp. (D-River also)*

Order Decapoda e.g. Pacifastacus sp. (crayfish)*

Class Insecta

Subclass Apterygota (paraphyletic)

Subclass Pterygota

Superorder Exopterygota (Hemipteroidea)

Order Plecoptera (Stoneflies)

Order Ephemeroptera (mayflies., e.g. Epheneroptera* ep.)

Order Odonata (dragonflies) skimmer dragonfly, Libellula sp. blue damselfly, Enallagma sp.,

Order Hemiptera water strider, Gerris sp.

Superorder Endopterygota

Order Neuroptera (net-winged insects)

Order Trichoptera (caddisflies)

Order Coleoptera (beetles)

Order Diptera (gnats and midges)

Phylum Mollusca

Class Gastropoda (snails, limpets., etc.)

Family Planorbidae

Class Bivalvia (bivalve molluscs)

Order Unionoida (fresh water mussels) e.g. Anodonta* sp.

Order Veneroida (pea clams)

Family Cyrenidae

Phylum Chordata

Subphylum Vertebrata

Class Pisces

Superorder Teleostei

Coho (silver) salmon	<i>Oncorhynchus kisutch</i>
Rainbow and Steelhead trout	<i>Oncorhynchus mykiss</i>
Cutthroat trout	<i>Oncorhynchus clarki</i>
Largemouth bass	<i>Micropterus salmoides</i>
Black crappie	<i>Pomoxis nigromaculatus</i>
White crappie	<i>Pomoxis anuularis</i>
Yellow perch	<i>Perca flavescens</i>
Sturgeon	Acipenser sp.
Prickly sculpin	<i>Cottus asper</i>
Pacific lamprey	<i>Entosphenus tridentatus</i>
Longfin smelt	<i>Spirinchus thaleichthys</i>
Carp	<i>Cyprinus carpio</i>
Grass carp	<i>Ctenopharynogodon idella</i>
Brown bullhead	<i>Ameirus nebulosus</i>
Channel catfish	<i>Ictalurus lacustris punctatus</i>
Three—Spined Stickleback	<i>Gasterosteus aculeatus</i>
Bluegill	<i>Lepomis macrochirus</i>

Class Aves

Bald eagle	<i>Haliaeetus leucocephalus</i>
Mallard	<i>Anas platyrhynchos</i>

**Biota of Devils Lake and Greater Devils Lake Region
Lincoln County, Oregon**

Bufflehead	<i>Bucephala albeola</i>
Ruddy duck	<i>Oxyura jamaicensis</i>
Pied-billed grebe	<i>Podilymbus podiceps</i>
Cormorant	<i>Phalacrocora</i> sp.
Gadwall	<i>Anas strepera</i>
American Coot	<i>Fulica americana</i>
Canvasback	<i>Aythya valisineria</i>
Scaup	<i>Aythya</i> spp.
Ring-necked duck	<i>Aythya collaris</i>
Western grebe	<i>Aechmophorus occidentalis</i>
Green-winged teal	<i>Anas carolinensis</i>
Eurasian wigeon	<i>Anas penelope</i>
Northern shoveler	<i>Anas clypeata</i>
Northern pintail	<i>Anas acuta</i>
Wood duck	<i>Aix sponsa</i>
Redhead	<i>Aythya americana</i>
Goldeneye	<i>Bucephala</i> sp.
Canada goose	<i>Branta canadensis</i>
Tundra swan	<i>Cygnus columbianus</i>
White-winged scoter	<i>Melanitta fusca deglandi</i>
Surf scoter	<i>Melanitta perspicillata</i>
Eared grebe	<i>Podiceps nigricollis</i>
Horned grebe	<i>Podiceps auritus</i>
Red-necked grebe	<i>Podiceps grisegena</i>
Hooded merganser	<i>Lophodytes cucullatus</i>
Red-breasted merganser	<i>Mergus serrator</i>
Common loon	<i>Gavia immer</i>

Class Amphibia (all observed in area)

Pacific newt	<i>Taricha granulosa</i>
Long—toed salamander	<i>Ambystoma macrodactylum</i>
Northwestern salamander	<i>Ambystoma gracile</i>
Coastal giant salamander	<i>Dicamptodon ensatus</i>
Pacific tree frog	<i>Pseudacris regilla</i>
Bullfrog	<i>Rana catesbeiana</i>

Class Reptilia

Garter snakes, *Thamnophis* spp. (observed)

Class Mammalia (all observed in area)

N. American Beaver	<i>Castor canadensis</i>
Muskrat	<i>Ondatra zibethicus</i>
Coypu (Nutria)	<i>Mvocastor covpus</i>
Raccoon	<i>Procyon lotor</i>
Mink	<i>Neovison vison</i>
River otter	<i>Lontra canadensis</i>
Black-tailed deer	<i>Odocoileus hemionus columbianus</i>